



LC810E-CB




# T521 Exploded Drawing






| ITEM | PART. No      | DESCRIPTION.                                   | QT. Y |
|------|---------------|--|-------|
| 1    | C-15-1100000A | BODY   | 1     |
| 2    | C-01-1200000  | VERTICAL COLUMN                                | 1     |
| 3    | C-01-1300000  | SWING ARM                                      | 1     |
| 4    | C-54-1400000  | HANDLE WHEEL                                   | 1     |
| 5    | CT-D-9100000  | PEDAL ASSEMBLY                                 | 1     |
| 6    | CT-LS-1400000 | BEAD BREAKER CYLINDER ASSEMBLY                 | 1     |
| 7    | CT-P-6000000  | INFLATING GUN ASSY                             | 1     |
| 8    | CT-Y-0100000  | TURNTABLE ASSEMBLY                             | 1     |
| 9    | CT-Q-6000000  | CLAMP RING                                     | 1     |
| 10   | CT-Q-5000000  | ROTATING UNION                                 | 1     |
| 11   | CT-J-3100000  | GEARBOX ASSEMBLY (USED WITH 50HZ MOTOR)        | 1     |
| 12   | CT-J-1100000  | GEARBOX ASSEMBLY (USED WITH 60HZ MOTOR)        | 1     |
| 13   | CT-DJ-0334122 | MOTOR (380V, 50Hz, 3P, 0.75Kw)                 | 1     |
| 14   | CT-B-4000000  | BEAD BREAKING ARM ASSEMBLY                     | 1     |
| 15   | CT-C-3100000  | BEAD BREAKER BLADE                             | 1     |
| 16   | CT-F-3111100  | AIR REGULATOR ASSEMBLY                         | 1     |
| 17   | C-14-1000002A | PROTECTIVE COVER                               | 1     |
| 18   | C-14-1000003  | PROTECTIVE COVER                               | 1     |
| 19   | C-14-1000001  | SIDE PANEL                                     | 1     |
| 20   | C-54-1000016  | RUBBER WASHER                                  | 1     |
| 21   | C-7C-1000007  | ROTATION SPINDLE                               | 1     |
| 22   | C-54-1000032  | ADJUSTING WASHER                               | 1     |
| 23   | C-01-1000002  | ROCKER VERTICAL SHAFT                          | 1     |
| 24   | C-54-1000009  | SHAFT WASHER                                   | 1     |
| 25   | GB889.1-M16   | 1-TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT | 1     |
| 26   | C-7C-1000008  | RIM SUPPORT                                    | 1     |
| 27   | C-54-1000005  | RUBBER FOOT                                    | 4     |
| 28   | C-54-1000012  | PRESS COVER                                    | 1     |
| 29   | C-54-1000023  | PLUG A   | 2     |
| 30   | C-54-1000028  | PLUG B   | 1     |
| 31   | CT-DJ-0000007 | BELT (USED WITH 50HZ MOTOR)                    | 1     |
| 32   | CT-DJ-0000008 | BELT (USED WITH 60HZ MOTOR)                    | 1     |
| 33   | C-71-1000024  | INFLATING GUN HOOK                             | 1     |
| 34   | C-01-100000B  | CIRCLIP  | 1     |
| 35   | TC-40-1200022 | RUBBER COVER                                   | 1     |
| 36   | C-71-1000027  | HELPER RUBBE PLUG                              | 1     |
| 37   | C-61-1000003  | HELPER RUBBE PLUG                              | 1     |
| 38   | C-54-1000013  | SEALED COVER                                   | 1     |
| 39   | GB6172.1-M14  | HEXANGULAR THIN NUT                            | 2     |
| 40   | GB861.1-14    | INNER TOOTH LOCK WAHSER                        | 2     |

| ITEM | PART.No             | DESCRIPTION.                              | QT. Y |
|------|---------------------|---|-------|
| 41   | C-54-1000010        | SCREWS M14×42                             | 2     |
| 42   | GB889. 2-M18×1. 5   | NUT M18×1. 5                              | 1     |
| 43   | GB70. 1-M5×10       | INNER HEXA CYLINDRICAL SCREW              | 2     |
| 44   | GB93-10             | STANDARD SPRING WASHER                    | 2     |
| 45   | GB70. 1-M10×30      | INNER HEXA CYLINDRICAL SCREW              | 2     |
| 46   | GB95-6              | FLAT WASHER                               | 6     |
| 47   | GB70. 1-M6×16       | INNER HEXA CYLINDRICAL SCREW              | 2     |
| 48   | GB95-8              | FLAT WASHER                               | 3     |
| 49   | GB93-8              | STANDARD SPRING WASHER                    | 4     |
| 50   | GB5783-M8×20        | HEXANGULAR BOLT                           | 3     |
| 51   | GB41-M8             | HEXANGULAR NUT                            | 4     |
| 52   | GB955-14            | WAVE-FORM SPRING WASHER                   | 1     |
| 53   | GB79-M6×20          | INNER HEXA CYLINDRICAL TERMINUS SET SCREW | 1     |
| 54   | GB93-6              | STANDARD SPRING WASHER                    | 1     |
| 55   | GB41-M6             | HEXANGULAR NUT                            | 1     |
| 56   | GB882-18×100        | PIN SHAFT                                 | 1     |
| 57   | GB95-12             | FLAT WASHER                               | 4     |
| 58   | GB93-12             | STANDARD SPRING WASHER                    | 4     |
| 59   | GB5783-M12×30       | HEXANGULAR BOLT                           | 4     |
| 60   | GB1096-C12×8×45     | COMMON FLAT KEY                           | 1     |
| 61   | GB95-10             | FLAT WASHER                               | 16    |
| 62   | GB41-M10            | HEXANGULAR NUT                            | 14    |
| 63   | GB96. 1-10          | LARGE WASHER A GRADE                      | 6     |
| 64   | GB5782-M10×200-8. 8 | BOLT M10×200                              | 4     |
| 65   | GB5782-M10×160-8. 8 | BOLT M10×160                              | 2     |
| 66   | GB95-5              | FLAT WASHER                               | 2     |
| 67   | GB5783-M5×16        | HEXANGULAR BOLT                           | 1     |
| 68   | GB70. 1-M6×20       | INNER HEXA CYLINDRICAL SCREW              | 4     |
| 69   | GB70. 1-M12×30      | INNER HEXA CYLINDRICAL SCREW              | 1     |
| 70   | GB70. 1-M6×25       | INNER HEXA CYLINDRICAL SCREW              | 6     |
| 71   | GB70. 1-M8×30       | INNER HEXA CYLINDRICAL SCREW              | 1     |
| 72   | C-01-1000006        | COVER CAP                                 | 6     |
| 73   | C-01-1000004        | THE FACE                                  | 1     |




C-01-1300000


| ITEM | PART. No            | DESCRIPTION.                                   | QT. Y |
|------|---------------------|--|-------|
| 1    | C-01-1310000        | SWING ARM                                      | 1     |
| 2    | C-54-1320000        | LOCK HANDLE                                    | 1     |
| 3    | C-01-1300001        | VERTICAL SHAFT SPRING                          | 1     |
| 4    | C-01-1300002        | HEXAGON SHAFT                                  | 1     |
| 5    | C-01-1300003        | DECORATING COVER                               | 1     |
| 6    | C-54-1300008        | PRESS WASHER                                   | 1     |
| 7    | C-54-1300007        | SHOCK ABSORBER WASHER                          | 1     |
| 8    | C-01-1300004        | COIL SPRING                                    | 1     |
| 9    | C-01-1300005        | HEXAGON LOCK PLATE                             | 1     |
| 10   | C-71-1300006        | VERTICAL SHAFT COVER                           | 1     |
| 11   | C-54-0001000        | DEMOUNTING HEAD ASSEMBLY                       | 1     |
| 12   | TC-40-1200022       | RUBBER COVER                                   | 1     |
| 13   | C-54-1300013        | ADJUSTING WASHER                               | 1     |
| 14   | GB70. 1-M10×30      | INNER HEXA CYLINDRICAL SCREW                   | 1     |
| 15   | GB894. 1-25         | SHAFT ELATIC BIG RETAINING RING A-TYPE         | 1     |
| 16   | GB93-10             | STANDARD SPRING WASHER                         | 1     |
| 17   | GB5783-M10×25-12. 9 | HEXANGULAR BOLT                                | 1     |
| 18   | GB95-10             | FLAT WASHER                                    | 2     |
| 19   | GB41-M10            | HEXANGULAR NUT                                 | 1     |
| 20   | GB889. 1-M10        | 1-TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT | 2     |
| 21   | GB70. 1-M10×70      | INNER HEXA CYLINDRICAL SCREW                   | 1     |




| ITEM | PART. No     | DESCRIPTION.                           | QT. Y |
|------|--------------|--|-------|
| 1    | C-54-1300004 | DEMOUNTING HEAD                        | 1     |
| 2    | C-54-1300006 | ROLLER BOLT                            | 1     |
| 3    | C-54-1300009 | ROLLER                                 | 1     |
| 4    | C-54-8000007 | TOOL HEAF TAIL WASHER                  | 1     |
| 5    | GB80-M12×12  | INNER HEXA RECESSED TERMINUS SET SCREW | 2     |
| 6    | GB80-M12×16  | INNER HEXA RECESSED TERMINUS SET SCREW | 2     |
| 7    | C-54-1300014 | SHEATH                                 | 1     |



| ITEM | PART. No            | DESCRIPTION.                                   | QT. Y |
|------|---------------------|--|-------|
| 1    | CT-D-5100001        | PEDAL BRACKET                                  | 1     |
| 2    | CT-D-9100001        | PEDAL  | 1     |
| 3    | CT-D-9100002        | PEDAL  | 2     |
| 4    | CT-D-5100004        | BOTTOM SHAFT                                   | 1     |
| 5    | CT-D-5100005        | CONNECTION PART                                | 2     |
| 6    | CT-D-5100007        | SPRING   | 2     |
| 7    | CT-D-5100008        | SWITCH SUPPORT                                 | 1     |
| 8    | CT-D-2100001        | SPACER   | 1     |
| 9    | CT-D-2100002        | TORSION SPRING                                 | 1     |
| 10   | CT-D-0012000        | VALVE  | 1     |
| 11   | GB9074-M6×20        | COMBINATION SCREW                              | 12    |
| 12   | GB41-M8             | HEXANGULAR NUT                                 | 3     |
| 13   | GB70. 1-M8×40       | INNER HEXA CYLINDRICAL SCREW                   | 2     |
| 14   | CT-D-0010000        | VALVE  | 1     |
| 15   | CT-D-1100009B       | CAM  | 1     |
| 16   | CT-D-2100004        | FORK SPRING PLATE                              | 1     |
| 17   | GB95-6              | FLAT WASHER                                    | 2     |
| 18   | GB70. 1-M6×25       | INNER HEXA CYLINDRICAL SCREW                   | 2     |
| 19   | CT-D-1100008        | CAM CONNECTING ROD                             | 1     |
| 20   | GB889. 1-M8         | 1-TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT | 6     |
| 21   | CT-D-1100011A       | CAM BAFFLE PLATE                               | 1     |
| 22   | GB845-ST2.9×9.5 H C | CROSS PANHEAD TAPPING SCREW                    | 2     |
| 23   | GB95-10             | FLAT WASHER                                    | 4     |
| 24   | GB882-4×22          | PIN SHAFT                                      | 2     |
| 25   | GB91-1.6×10         | SLOTTED PIN                                    | 2     |
| 26   | GB5783-M8×60        | HEXANGULAR BOLT                                | 2     |
| 27   | CT-D-2100010        | TORSION SPRING BRACKET                         | 1     |
| 28   | GB41-M6             | HEXANGULAR NUT                                 | 4     |
| 29   | CT-D-2100011        | CONNECTION ROD                                 | 1     |
| 30   | CT-D-1100010        | REVERSE LEVER                                  | 1     |
| 31   | CT-D-5100009A       | SWITCH SUPPORT                                 | 1     |
| 32   | CT-D-1100018        | SWITCH   | 1     |
| 33   | CT-D-2100012        | ROTATION SHAFT                                 | 1     |
| 34   | GB5782-M8×55        | HEXANGULAR BOLT                                | 1     |
| 35   | GB5783-M8×35        | HEXANGULAR BOLT                                | 1     |
| 36   | GB9074. 4-M4×16     | COMBINATION SCREW                              | 1     |
| 37   | CT-D-1100014        | SWITCH COVER                                   | 1     |
| 38   | GB93-6              | STANDARD SPRING WASHER                         | 4     |
| 39   | GB70. 1-M6×12       | INNER HEXA CYLINDRICAL SCREW                   | 2     |
| 40   | GB894. 1-14         | SHAFT ELATIC BIG RETAINING RING A-TYPE         | 2     |
| 41   | GB9074. 4-M5×25     | COMBINATION SCREW                              | 2     |




| ITEM | PART. No           | DESCRIPTION.                | QT. Y |
|------|--------------------|-----------------------------|-------|
| 1    | CT-D-1110001       | VALVE BODY                  | 1     |
| 2    | CT-D-1110003       | O-RING                      | 6     |
| 3    | CT-D-1110004       | SPACER                      | 5     |
| 4    | CT-D-1110005       | VALVE CAP                   | 1     |
| 5    | CT-D-2600003       | VALVE ROD                   | 1     |
| 6    | GB845-ST2.9×13 H C | CROSS PANHEAD TAPPING SCREW | 3     |
| 7    | FPL 8-01           | INSERT ELBOW Φ8, R1/8       | 1     |
| 8    | FPC 8-01           | MALE STRAIGHT               | 2     |
| 9    | FSK 01             | PLASTIC PARTICLE SILENCER   | 2     |




| ITEM | PART. No            | DESCRIPTION.              | QT. Y |
|------|---------------------|---------------------------|-------|
| 1    | CT-D-1110001        | VALVE BODY                | 1     |
| 2    | CT-D-1110003        | O-RING                    | 6     |
| 3    | CT-D-1110004        | SPACER                    | 5     |
| 4    | CT-D-1110005        | VALVE CAP                 | 1     |
| 5    | CT-D-2600001        | VALVE ROD                 | 1     |
| 6    | GB879. 1-4×20       | PIN                       | 1     |
| 7    | GB95-10             | FLAT WASHER               | 1     |
| 8    | GB845-ST2. 9×13 H C | SCREW                     | 3     |
| 9    | FPD 8-01            | MALE RUN TEE              | 1     |
| 10   | FPC 8-01            | MALE STRAIGHT             | 2     |
| 11   | FSK 01              | PLASTIC PARTICLE SILENCER | 2     |

CT-B-4000000




| ITEM | PART. No     | DESCRIPTION.                           | QT. Y |
|------|--------------|--|-------|
| 1    | CT-B-4100000 | BEAD BREAKING ARM ASSEMBLY             | 1     |
| 2    | CT-B-4000001 | BEAD BREAKING ARM SLIDE BUSHING        | 1     |
| 3    | GB894. 1-34  | SHAFT ELATIC BIG RETAINING RING A-TYPE | 1     |
| 4    | CT-B-2000001 | SLIDE SPACER                           | 1     |
| 5    | CT-B-4000003 | SPRING                                 | 1     |

CT-LS-1400000




| ITEM  | PART. No                | DESCRIPTION.                             | QT. Y |
|-------|-------------------------|--|-------|
| 1     | CT-LS-1100002           | CYLINDER BODY                            | 1     |
| 2     | CT-LS-1100001           | CYLINDER PISTON ROD                      | 1     |
| 3     | CT-LS-1100003           | PISTON                                   | 1     |
| 4     | CT-LS-1100004           | CYLINDER COVER                           | 1     |
| 5     | CT-LS-1100006           | CLAMP RING                               | 2     |
| 6     | CT-LS-1100007           | PISTON SUPPORT RING                      | 1     |
| 7     | CT-LS-1100008           | GUIDER SPACER                            | 1     |
| 8     | FPL 8-01                | INSERT ELBOW $\Phi 8, R1/8$              | 1     |
| 9     | FPL 8-02                | INSERT ELBOW $\Phi 8, R1/4$              | 1     |
| 10    | GB893. 2-30             | ELASTIC RETAINING RING B-TYPE            | 1     |
| 11    | GB5789-AM6×25           | HEXA FLANGE BOLT                         | 12    |
| 12    | GB6177. 1-M6            | HEXA FLANGE NUT                          | 12    |
| 13    | GB889. 2-M18×1. 5       | NUT M18×1. 5                             | 1     |
| 14    | CT-LS-1110000           | CYLINDER SEALING PARTS ASSEMBLY          | 1     |
| 14. 1 | CT-Y-0160007            | SEAL-ROD, CYLNDR                         | 1     |
| 14. 2 | CT-LS-1100009           | Y-RING                                   | 2     |
| 14. 3 | GB3452. 1-185×3. 55-G   | O-RING G TYPE                            | 1     |
| 14. 4 | GB3452. 1-15. 5×2. 65-G | HYDRAULIC-PNEUMATIC RUBBER O-RING G TYPE | 1     |

CT-Y-0100000




| ITEM | PART. No            | DESCRIPTION.                           | QT. Y |
|------|---------------------|--|-------|
| 1    | CT-Y-0110000        | TURNTABLE                              | 1     |
| 2    | CT-Y-0120000        | SLIDE COVER                            | 4     |
| 3    | CT-Y-0130000        | CYLINDER BRACKET                       | 2     |
| 4    | CT-Y-0140000        | CONNECTION PLATE                       | 4     |
| 5    | CT-Y-0150000        | SQUARE TURNTABLE                       | 1     |
| 6    | CT-Y-0160000        | CYLINDER ASSEMBLY                      | 2     |
| 7    | CT-Y-0100002        | CLAMP                                  | 4     |
| 8    | CT-Y-0100003        | SPACER                                 | 4     |
| 9    | CT-Y-0100004        | PRESS PLATE                            | 2     |
| 10   | GB95-12             | FLAT WASHER                            | 12    |
| 11   | GB894. 1-12         | SHAFT ELATIC BIG RETAINING RING A-TYPE | 4     |
| 12   | GB894. 1-65         | SHAFT ELATIC BIG RETAINING RING A-TYPE | 1     |
| 13   | GB5783-M12×30       | HEXANGULAR BOLT                        | 4     |
| 14   | GB5782-M12×83-W8. 8 | HEXANGULAR BOLT                        | 4     |
| 15   | GB93-12             | STANDARD SPRING WASHER                 | 8     |
| 16   | CT-Y-0100008        | HINGE ELBOW Φ8 G1/8                    | 2     |
| 17   | CT-Y-0100006        | HINGE ELBOW Φ8 G1/8                    | 2     |


CT-Y-0160000




| ITEM | PART. No             | DESCRIPTION.                                    | QT. Y |
|------|----------------------|---|-------|
| 1    | CT-Y-0160001         | SHAFT-CYLNDR                                    | 1     |
| 2    | CT-Y-0160003         | REAR COVER                                      | 1     |
| 3    | CT-Y-0160002         | FRONT COVER                                     | 1     |
| 4    | CT-Y-0160006         | SLEEVE-CYLNDR 70                                | 1     |
| 5    | CT-Y-0160004         | BOLT  | 4     |
| 6    | GB95-12              | FLAT WASHER                                     | 1     |
| 7    | GB889. 1-M12         | 1- TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT | 1     |
| 8    | GB889. 1-M8          | 1-TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT  | 4     |
| 9    | GB893. 1-30          | ELASTIC RETAINING RING A-TYPE                   | 1     |
| 10   | GB12613-23×20×10     | BEARING-SLIDE                                   | 1     |
| 11   | CT-Y-1121000         | CYLINDER SEALING PARTS ASSEMBLY                 | 1     |
| 11.1 | CT-Y-0160007         | SEAL-ROD, CYLNDR                                | 1     |
| 11.2 | CT-Y-0161000         | PISTON  | 1     |
| 11.3 | GB3452. 1-65×2. 65-G | HYDRAULIC-PNEUMATIC RUBBER O-RING G TYPE        | 2     |
| 11.4 | GB3452. 1-20×2. 65-G | HYDRAULIC-PNEUMATIC RUBBER O-RING G TYPE        | 1     |



| ITEM | PART. No             | DESCRIPTION.                             | QT. Y |
|------|----------------------|--|-------|
| 1    | CT-Q-1000001         | AIR GUIDE EXTERNAL BUSHING               | 1     |
| 2    | CT-Q-1000002         | AIR GUIDE ROTATION BUSHING               | 1     |
| 3    | GB71-M3×6            | SLOTTED CONIC HEAD SET SCREW             | 4     |
| 4    | GB3452. 1-60×2. 65-G | HYDRAULIC-PNEUMATIC RUBBER O-RING G TYPE | 3     |
| 5    | FPC 8-01             | MALE STRAIGHT                            | 4     |




| ITEM | PART. No                | DESCRIPTION.                             | QT. Y |
|------|-------------------------|--|-------|
| 1    | CT-J-0000005            | GEARBOX                                  | 1     |
| 2    | CT-J-0000006            | GEARBOX TOP                              | 1     |
| 3    | CT-J-0000004            | WORM ROD                                 | 1     |
| 4    | CT-J-0000008            | BELT PULLEY                              | 1     |
| 5    | CT-J-0000001            | WORM SHAFT                               | 1     |
| 6    | GB276-6208              | BEARING                                  | 1     |
| 7    | GB1096-12×8×56          | COMMON FLAT KEY                          | 1     |
| 8    | GB297-30205             | BEARING                                  | 2     |
| 9    | GB1099. 1-6×9×22        | COMMON SEMI-CIRCULAR KEY                 | 1     |
| 10   | CT-J-0000003            | WORM                                     | 1     |
| 11   | GB894. 1-50             | RETAINING RING A-TYPE                    | 1     |
| 12   | FB25-40 GB13871. 92     | SEALED RING                              | 1     |
| 13   | CT-J-0100000            | CAP                                      | 1     |
| 14   | GB276-6010              | DEEP GROOVE BALL BEARINGS                | 1     |
| 15   | GB96. 2-8               | LARGE WASHER C GRADE                     | 1     |
| 16   | GB93-8                  | STANDARD SPRING WASHER                   | 1     |
| 17   | GB5783-M8×25            | HEXANGULAR BOLT                          | 1     |
| 18   | GB70. 1-M8×30           | INNER HEXA CYLINDRICAL SCREW             | 8     |
| 19   | GB41-M8                 | HEXANGULAR NUT                           | 8     |
| 20   | GB3452. 1-13. 2×2. 65-G | HYDRAULIC-PNEUMATIC RUBBER O-RING G TYPE | 1     |
| 21   | TC-10-1400013           | BOLT                                     | 1     |



CT-J-1100000


| ITEM | PART. No                | DESCRIPTION.                             | QT. Y |
|------|-------------------------|--|-------|
| 1    | CT-J-0000005            | GEARBOX                                  | 1     |
| 2    | CT-J-0000006            | GEARBOX TOP                              | 1     |
| 3    | CT-J-0000004            | WORM ROD                                 | 1     |
| 4    | CT-J-0000007            | BELT PULLEY                              | 1     |
| 5    | CT-J-0000001            | WORM SHAFT                               | 1     |
| 6    | GB276-6208              | BEARING                                  | 1     |
| 7    | GB1096-12×8×56          | COMMON FLAT KEY                          | 1     |
| 8    | GB297-30205             | BEARING                                  | 2     |
| 9    | GB1099. 1-6×9×22        | COMMON SEMI-CIRCULAR KEY                 | 1     |
| 10   | CT-J-0000003            | WORM                                     | 1     |
| 11   | GB894. 1-50             | RETAINING RING A-TYPE                    | 1     |
| 12   | FB25-40 GB13871. 92     | SEALED RING                              | 1     |
| 13   | CT-J-0100000            | CAP                                      | 1     |
| 14   | GB276-6010              | DEEP GROOVE BALL BEARINGS                | 1     |
| 15   | GB96. 2-8               | LARGE WASHER C GRADE                     | 1     |
| 16   | GB93-8                  | STANDARD SPRING WASHER                   | 1     |
| 17   | GB5783-M8×25            | HEXANGULAR BOLT                          | 1     |
| 18   | GB70. 1-M8×30           | INNER HEXA CYLINDRICAL SCREW             | 8     |
| 19   | GB41-M8                 | HEXANGULAR NUT                           | 8     |
| 20   | GB3452. 1-13. 2×2. 65-G | HYDRAULIC-PNEUMATIC RUBBER O-RING G TYPE | 1     |
| 21   | TC-10-1400013           | BOLT                                     | 1     |

CT-DJ-0334122




| ITEM | PART. No      | DESCRIPTION.                        | QT. Y |
|------|---------------|-------------------------------------|-------|
| 1    | CT-DJ-0034122 | MOTOR (380V, 50Hz, 3P, 0.75Kw)      | 1     |
| 2    | CT-DJ-0000001 | MOTOR SUPPORT                       | 1     |
| 3    | CT-DJ-0000002 | RUBBER WASHER                       | 8     |
| 4    | CT-DJ-0000004 | PULLEY                              | 1     |
| 5    | GB5783-M10×50 | HEXANGULAR BOLT                     | 4     |
| 6    | GB96. 1-10    | LARGE WASHER A GRADE                | 4     |
| 7    | GB95-10       | FLAT WASHER                         | 4     |
| 8    | GB41-M10      | HEXANGULAR NUT                      | 4     |
| 9    | GB78-M5×16    | INNER HEXA CONIC TERMINUS SET SCREW | 1     |
| 10   | GB41-M5       | HEXANGULAR NUT                      | 1     |
| 11   | GB1096-6×6×25 | COMMON FLAT KEY                     | 1     |


CT-F-3111100



| ITEM | PART. No              | DESCRIPTION.                 | QT. Y |
|------|-----------------------|------------------------------|-------|
| 1    | CT-F-3000010          | WATER CPU                    | 1     |
| 2    | CT-F-3000020          | OIL CPU                      | 1     |
| 3    | CT-F-2000003          | PRESSURE GAUGE               | 1     |
| 4    | FPL 8-02              | INSERT ELBOW $\Phi 8$ , R1/4 | 1     |
| 5    | GB70. 1-M4 $\times$ 8 | INNER HEXA CYLINDRICAL SCREW | 4     |
| 6    | PEH 02-02             | FAMALE UNION TEE             | 1     |
| 7    | C-01-1500004          | OPEN NUT                     | 1     |
| 8    | CT-F-2000009          | AIR REGULATOR BRACKET        | 1     |



| ITEM | PART. No     | DESCRIPTION.   | QT. Y |
|------|--------------|----------------|-------|
| 1    | CT-P-6000001 | INFLATING GUN  | 1     |
| 2    | C-01-1500004 | OPEN NUT       | 1     |
| 3    | CT-P-1000002 | INFLATION HOSE | 1     |



| ITEM | PART. No            | DESCRIPTION.                             | QT. Y |
|------|---------------------|--|-------|
| 1    | C-54-8000002        | ACCESSORY BOX                            | 1     |
| 2    | C-54-8000003        | 20INCH CROWBAR                           | 1     |
| 3    | C-54-8100000        | GREASE CONTAINER                         | 1     |
| 4    | C-54-8000005        | CLAMP PROTECTION COVER                   | 4     |
| 5    | C-54-1300014        | SHEATH                                   | 4     |
| 6    | C-54-8000007        | TOOL HEAF TAIL WASHER                    | 1     |
| 7    | C-54-8000004        | BRACKET                                  | 1     |
| 8    | C-90-1000013        | BEAD BREAKER BLADE COVER                 | 1     |
| 9    | C-54-8000011        | AIR SUPPLY CONNECTOR                     | 1     |
| 10   | GB3452. 1-8×2. 65-A | HYDRAULIC-PNEUMATIC RUBBER O-RING A TYPE | 1     |